

Revision Date: 06/12/2019

SAFETY DATA SHEET

1. Identification

Product identifier: CLAIRE BUG BUSTER INSECT KILLER

Other means of identification

SDS number: RE1000010168

Recommended restrictions

Product Use: Pesticide

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr

Pacific, MO 63069 1-630-543-7600

Telephone: Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Environmental Hazards

Acute hazards to the aquatic Category 2

environment

Chronic hazards to the aquatic Category 2

environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

Toxic to aquatic life with long lasting effects.



Revision Date: 06/12/2019

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the

environment.

Response: Collect spillage.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Propane	74-98-6	5 - <10%
Butane	106-97-8	5 - <10%
Distillates (petroleum), hydrotreated light	64742-47-8	5 - <10%
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	51-03-6	1 - <5%
Pyrethrins	8003-34-7	0.01 - <1%
Acetic acid, pentyl ester	628-63-7	0 - <0.1%
Acetic acid, phenylmethyl ester	140-11-4	0 - <0.1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Rinse mouth thoroughly.

Inhalation: Move to fresh air.

Skin Contact: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

Eye contact: Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.



Revision Date: 06/12/2019

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning

up:

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

7. Handling and storage

Notification Procedures:

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Conditions for safe storage,

including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 1



Revision Date: 06/12/2019

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lin	nit Values	Source
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL	1,000 ppm	1,800 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	800 ppm	1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	AN ESL		3,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		7,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA PEL	800 ppm	1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL		66,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		28,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated light	REL		100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated light	ST ESL		3,500 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		350 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Pyrethrins	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	AN ESL		5 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		50 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11



Revision Date: 06/12/2019

				2016)
	TWA		5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA PEL		5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
Acetic acid, pentyl ester	REL	100 ppm	525 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	50 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	100 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	100 ppm	532 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA PEL	50 ppm	266 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	100 ppm	525 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL		2,700 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		500 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		50 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		270 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	PEL	100 ppm	525 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	100 ppm	525 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Acetic acid, phenylmethyl ester	TWA	10 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA PEL	10 ppm	61 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL		100 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		10 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL		610 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL		61 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: No data available.

Other: No data available.



Revision Date: 06/12/2019

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
PH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate:No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure: 5,171.068 - 6,550.0194 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

SDS US - RE1000010168



Revision Date: 06/12/2019

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light

LD 50 (Rat): > 5,000 mg/kg

1,3-Benzodioxole, 5-[[2-

(2-

LD 50 (Rat): 5,630 mg/kg

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Pyrethrins LD 50 (Rat): 500 - 1,000 mg/kg

Acetic acid, phenylmethyl

LD 50 (Rat): > 2,000 mg/kg

ester

LD 50 (Mouse): > 2,000 mg/kg LD 50 (Rat): 2,490 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light

LD 50 (Rabbit): > 2,000 mg/kg



Revision Date: 06/12/2019

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Acetic acid, phenylmethyl LD 50 (Rabbit): > 5 g/kg

ester

Inhalation

Product: Not classified for acute toxicity based on available data.

LD 50: > 2,000 mg/kg

Specified substance(s):

Propane LC 50 (Mouse): 1,237 mg/l

Butane LC 50 (Mouse): 1,237 mg/l

Distillates (petroleum), hydrotreated light

LC 50: > 5 mg/l LC 50: > 20 mg/l

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Acetic acid, phenylmethyl

ester

LC Lo (Rat): > 0.766 mg/l

LC 50 (Rat): > 5.9 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Butane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Distillates (petroleum), hydrotreated light

NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation

Experimental result, Key study

NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result,

Key study

1,3-Benzodioxole, 5-[[2-

(2-

NOAEL (Dog(Female, Male), Oral, 1 yr): 600 ppm(m) Oral Experimental

result, Key study

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

LOAEL (Rat(Female, Male), Oral, 28 - 31 d): 250 mg/kg Oral Experimental

result, Supporting study

NOAEL (Rat(Female, Male), Oral, 28 - 31 d): 125 mg/kg Oral Experimental

result, Supporting study

NOAEL (Rabbit(Female, Male), Dermal): > 1,000 mg/kg Dermal

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation): >= 512 mg/m3 Inhalation

Experimental result, Key study

Acetic acid, phenylmethyl

ester

NOAEL (Rat(Male), Oral, 13 Weeks): 900 mg/kg Oral Experimental result,

Supporting study



Revision Date: 06/12/2019

NOAEL (Rat(Female), Oral, 13 Weeks): 480 mg/kg Oral Experimental result, Supporting study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

in vivo (Rabbit): Not irritant Experimental result, Key study

Acetic acid,

phenylmethyl ester

in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum),

hydrotreated light

Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum), Skin

Skin sensitization:, in vivo (Guinea pig): Non sensitising

hydrotreated light

1,3-Benzodioxole, 5-[[2-

Skin sensitization:, in vivo (Guinea pig): Non sensitising

(2-

butoxyethoxy)ethoxy]m

ethyl]-6-propyl-

Acetic acid, Skin sensitization:, in vivo (Guinea pig): Sensitising

phenylmethyl ester

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.



Revision Date: 06/12/2019

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

No data available. Product:

Specified substance(s):

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Distillates (petroleum),

hydrotreated light

LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 2.9

ma/l Mortality

NOAEL (Oncorhynchus mykiss, 96 h): 2 mg/l Experimental result, Key study

1,3-Benzodioxole, 5-[[2-

(2-

LC 50 (Oncorhynchus mykiss, 96 h): 6.12 mg/l Experimental result, Key

study

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

NOAEL (96 h): 0.625 mg/l Experimental result, Key study

Pyrethrins LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 0.013 -

0.0306 mg/l Mortality

LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 0.02 -

LC 50 (Medaka, high-eyes (Oryzias latipes), 96 h): 3.48 - 4.6 mg/l Mortality

0.03 mg/l Mortality

Acetic acid, pentyl ester LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 65 mg/l Mortality

Acetic acid, phenylmethyl

LC 50 (Oryzias latipes, 96 h): 4 mg/l Other, Key study

ester

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

SDS US - RE1000010168 10/16



Revision Date: 06/12/2019

Distillates (petroleum), hydrotreated light

EC 50 (Daphnia magna, 24 h): 4.6 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.3 mg/l Experimental result. Key study EC 50 (Daphnia magna, 48 h): 1.4 mg/l Experimental result, Key study

1,3-Benzodioxole, 5-[[2-(2-

EC 50 (Daphnia magna, 48 h): 510 µg/l Experimental result, Key study

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Pyrethrins EC 50 (Water flea (Daphnia), 48 h): 0.018 - 0.032 mg/l Intoxication

Acetic acid, pentyl ester LC 50 (Water flea (Daphnia magna), 24 h): 210 mg/l Mortality

Acetic acid, phenylmethyl

ester

EC 50 (Daphnia magna, 24 h): 25 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 17 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 10 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: NOEC: Estimated < 1 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

NOAEL (Daphnia magna): 1.2 mg/l Experimental result, Key study EC 50 (Daphnia magna): 0.81 mg/l Experimental result, Key study

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met hyl]-6-propylLOAEL (Daphnia magna): 47 µg/l Experimental result, Key study NOAEL (Daphnia magna): 30 µg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Distillates (petroleum), hydrotreated light

61 % Detected in water. Experimental result, Supporting study

1,3-Benzodioxole, 5-[[2-

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

24 - 48 % (28 d) Detected in water. Experimental result, Supporting study



Revision Date: 06/12/2019

Acetic acid, phenylmethyl 100 % (28 d) Detected in water. Experimental result, Key study

ester

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

1,3-Benzodioxole, 5-[[2- Bioconcentration Factor (BCF): 39.06 Aquatic sediment QSAR, Key study

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Acetic acid, phenylmethyl Bioconcentration Factor (BCF): 8 Aquatic sediment Estimated by calculation,

ester Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

1,3-Benzodioxole, 5-[[2- Log Kow: 4.8 - 5 20 - 25 °C

(2-

butoxyethoxy)ethoxy]met

hyl]-6-propyl-

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Propane No data available.
Butane No data available.
Distillates (petroleum), No data available.

hydrotreated light

1,3-Benzodioxole, 5-[[2-(2- No data available.

butoxyethoxy)ethoxy|methyl

]-6-propyl-

Pyrethrins No data available.
Acetic acid, pentyl ester No data available.
Acetic acid, phenylmethyl No data available.

ester

Other adverse effects: Toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.



Revision Date: 06/12/2019

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): –
Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): -

EmS No.: F-D, S-U

Packing Group: -

Environmental Hazards No Marine Pollutant Yes

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Environmental Hazards No Marine Pollutant Yes

Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Propane Ibs. 100
Butane Ibs. 100



Revision Date: 06/12/2019

Pyrethrins Ibs. 1
Butanoic acid, ethyl ester Ibs. 100
Acetic acid, pentyl ester Ibs. 5000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Flammable aerosol

SARA 302 Extremely Hazardous Substance

Reportable

Chemical Identity quantity Threshold Planning Quantity

Distillates (petroleum), hydrotreated light

SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

Propane Ibs. 100 Butane Ibs. 100

Distillates (petroleum),

hydrotreated light

Pyrethrins Ibs. 1
Butanoic acid, ethyl ester Ibs. 100
Acetic acid, pentyl ester Ibs. 5000

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Propane 10000 lbs
Butane 10000 lbs
Distillates (petroleum), 10000 lbs

hydrotreated light

1,3-Benzodioxole, 5-[[2-(2- 10000 lbs

butoxyethoxy)ethoxy]methyl]-

6-propyl-

Pyrethrins 10000 lbs Acetic acid, pentyl ester 10000 lbs Acetic acid, phenylmethyl 10000 lbs

ester

SARA 313 (TRI Reporting)

Reporting Reporting threshold for manufacturing and

lbs.

Chemical Identity other users processing

1,3-Benzodioxole, 5-[[2-(2- lbs

butoxyethoxy)ethoxy]methyl]-

6-propyl-

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)
US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act Chemical Identity



Revision Date: 06/12/2019

Propane

Butane

Distillates (petroleum), hydrotreated light

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Propane

Butane

Distillates (petroleum), hydrotreated light

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Distillates (petroleum), hydrotreated light

Stockholm convention

Distillates (petroleum), hydrotreated light

Rotterdam convention

Distillates (petroleum), hydrotreated light

Kyoto protocol



Revision Date: 06/12/2019

Inventory Status:

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory

US TSCA Inventory: Not in compliance with the inventory.

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ:

On or in compliance with the inventory

Ontario Inventory: Not in compliance with the inventory.

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date: 06/12/2019

Revision Information: No data available.

Version #: 1.0

Further Information: FIFRA: This chemical is a pesticide product registered by the United States

Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.