



DYNAMO

WASP & HORNET SPRAY

DESCRIPTION

DYNAMO is an EPA registered, residual insecticide effective against hornets, wasps, yellow jackets and bees on contact. Continues killing as insects return to the nest. Dielectric strength of 47,300 volts and a power jet spray reach up to 20 feet, providing a safer method of application than conventional means. Acts as a barrier preventing insects from entering the home. Contains Permethrin and Tetramethrin synergised with Piperonyl Butoxide.

APPLICATIONS

Kills yellow jackets, hornets, wasps and bees. For use in and around schools, hospitals, industrial plants, tank farms, warehouses, attics, basements and patios.

FEATURES & BENEFITS

- Fast acting—kills on contact
- Kills with residual action
- Jet spray will reach nests up to 20 feet above ground
- Dielectric breakdown voltage of 47,300 volts
- Use indoors and outdoors

SPECIFICATIONS

FORM: Solvent-Based Aerosol
ODOR: Insecticidal
COLOR: Clear
DETERGENCY: None
TOXICITY: 400 ppm OSHA TLV
WETTING ABILITY: Saturates
STORAGE STABILITY: 1 Year +
COLD STABILITY: 0%
PHOSPHATES: None

FLASH POINT: >200°F TCC
FLAME EXTENSION: None
SOLUBILITY IN WATER: 0%
SPECIFIC GRAVITY: 0.81
% VOLATILE BY VOLUME: 99%
EVAPORATION RATE: Slow
PROPELLANT: Carbon Dioxide
pH: N/A
BIODEGRADABILITY: No

ACTIVE INGREDIENT:
Tetramethrin 0.10 %
Permethrin..... 0.25 %
*Piperonyl Butoxide..... 0.50 %
****OTHER INGREDIENTS:**..... 99.15 %
100.00 %
*(butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds
**Contains petroleum distillates

LABEL INFORMATION

EPA REG. NO. 44446-71 EPA EST. 44446-TX-1

DYNAMO WASP & HORNET SPRAY

FIRST AID
If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-800-255-3924 for emergency medical treatment information.
NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt and long pants, socks and shoes.

User Safety Recommendations:
<ul style="list-style-type: none"> • User should wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. • Users should remove clothing/PPE immediately if pesticide gets inside and after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into (put on) clean clothing.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish and aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment areas.

Physical and Chemical Hazards

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read Entire Label.

Use Restrictions

For spot, crack, and crevice application only.
Do not apply more than 112 lbs. (1792 ounces or 89 bottles) of this product (0.56 lbs. ai PBO) per 1000 square feet.

Not for broadcast use on indoor surfaces.

Do not apply this product in a way that will contact adults, children, or pets either directly or through drift.

Do not allow adults, children, or pets to enter the treated area until sprays have dried.

Do not apply when food is present. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before spray application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.

Do not use in commercial food/feed handling establishments, restaurants or other sites where food/feed is commercially prepared or processed. Not for use in federally inspected meat and poultry plants.

Do not apply to pets or contaminate feed, foodstuffs, dishes or utensils.
Do not make application during rain.
Do not wet articles to point of runoff or drip.
Do not use treated article until spray has dried.
Do not apply directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
Remove or cover exposed food and drinking water before application.
Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
Do not use in aircraft cabins.
Other than application to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) must be limited to spot or crack and crevice treatments only, except for the following permitted uses: Treatment to soil or vegetation around structures; Applications to lawns, turf, and other vegetation; Applications to building foundations, up to a maximum height of 3 feet.
For best results, spray in early morning or late evening when insect activity is minimal. Stand a safe distance from nest and not directly underneath. Remove protective cap. Hold can upright and point spray opening toward nest with wind at your back. Spray until nest is thoroughly saturated to kill the entire nest population. Residual action will kill **Wasps** and **Hornets** returning to the nest. Wait at least 24 hours before removing the nest.
To kill **Wasps**, **Hornets**, **Yellow Jackets** and **Bees** under eaves, screens, window frames, doors, patios, cracks, holes or crevices wherever insects are noticed, spray for about 1 - 2 seconds or until surfaces are moist. To prevent entrance of insects into the house, spray around points where insects can enter house; outside plumbing, faucets, and cracks or crevices in foundation as well as along sills and ledges. Do not spray vegetation directly to prevent damage to foliage. If spray accidentally contacts foliage, immediately wash with water. This product may discolor exte-

rior surfaces of building, structures and painted surfaces and may cause staining (darkening) of asphalt surfaces and shingles. Test product in an inconspicuous area before applying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store in a cool, dry area away from children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F. Do not freeze.
Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate!
If empty: Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or 1-800-CLEAN-UP for disposal instructions.

ITEM 442000001-20AR Made in USA

DISCLAIMER OF WARRANTIES: QUESTSPECIALTY CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of QuestSpecialty Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. QuestSpecialty Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.
LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT..

PACKAGING INFORMATION

12-20 oz. cans per case, 12 oz. net weight