Safety Data Sheet

			S	ection 1 - Pr	oduct Infor	mation				
roduct Name	: main drain						Supplier:	Intercon Chemical Company		
			none: 1-314-771-	one: 1-314-771-6600			1100 Central Industrial Drive			
			ntact: CHEMTRE		' 0	Address:	St. Louis, MO 63110			
	8			ection 2 - Ha						
HS Classificat	tion: Skin Corrosi	on Category 1B, Eye	e corrosive Catego	ory 1, Oral Toxici	ty Category 4					
				Section 2.1		nents				
	Hazard	l Pictograms					utionary Stateme	ents:		
				Wear protectiv	e gloves and eye	protection. W	ash thoroughly a	fter handling. Do not breathe mist or du		
<u> </u>		(!)			IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash					
					clothing before r e cautiously with		eral minutes. Rer	move contacts if present and easy to do.		
	Signal V	Vord: Danger		Continue rinsin	•	in trace. To: Serv		nove contacts in present and easy to do.		
	Hazard	Statements:			: Rinse mouth, I		_	6 . II 6 I . II		
Causes sever	e skin burns and	eye damage. Harm	ful if swallowed.		move to fresh ai II a POISON CEN		· ·	fortable for breathing.		
				II	ent (see section		•••			
				Store locked up	. Dispose of con	tents/containe	rs to an approve	d waste handling facilitity		
				Section 3	- Composit	ion				
	Chem	nical Name			•	.S #		Percent w/w		
odium Hydro	xide				1310	-73-2		19		
SWALLOWE	D: Rinse mouth, I	h water for several Do NOT induce von	niting.	<u> </u>	· ·	do. Continue rir	nsing.			
		r and keep at rest p	osition comforta	ble for breathing						
innediately co	an a r Olson CEN	TER OF physician.	Continu	o F. Fire one	d Evalosion	Harard Dai				
	1		T	15 - Fire and				es: Avoid exposure to fumes or vapors.		
ash Point:		Limits	_	ktinguishing Media: r fog, foam,dry chemical, carbon		Wear self centained nesitive pressurized breathing apparatus				
LLL. IVA				alcohol foam, if product involved.			Approved or equivalent to maintain TLV. UNUSUAL FIRI			
UEL: NA				EXPLOSION HAZARD:			AZARD: Product	RD: Product will not burn.		
			Sectio	n 6 - Accide	ntal Releas	e Measure	5			
eutralize with	h dilute acid, or s	odium bicarbonate	. Mop up and flus	sh to sewer with	plenty of water.	Floors may be	slippery. Use car	e to avoid falls.		
			Se	ection 7 - Ha	ndling and	Storage				
tore locked u	p. Store upright i	n original closed co	ntainer.							
			Sec	ction 8 - Exp	osure Cont	rols/PPE				
Ingr	edient	OSHA PEL:	ACGIH TLV		PPE		Ge	eneral Hygiene Considerations:		
odium Hydro		2mg/m ³	2mg/m ³	Respiratory:	not normally re	quired		ordance with good industrial hygiene and		
, 0.		=	1		safety glasses, t			s. Provide suitable facilities for quick		
			1	Skin: Apron, alkali pro		arenching or flu		ushing of the eyes and body in case of sh hazard.		
				Ventilation Normal room ventilat			1			
				Ventuation	MOMBAL LOOM V	enulation				

	Section 9 - Physical and Chemical Properties									
Appearance	odor	odor threshold	pН	Melting Point	Boiling point	Evaporation rate	Flammability	Upper/lower flammability limits	Vapor pressure	
yellow liquid	mild	NE	14	NE	212ºF	>1(water =1)	NA	NA	17mm Hg	
Vapor Density	Density	Specific Gravity	pH(use dil)	Solubility	Partition coefficient	Auto Ignition temp	Viscosity	Decomposition Temp		
0.62(air =1)	9.88	1.19	14	100% in water	NE	NA	Thin	NE		

Section 10 - Stability and Reactivity

Product is stable, hazardous polymerization will not occur. Incompatible with strong acids. If burned, normal combustion products: Carbon Dioxide, Carbon Monoxide, Nitrous Oxides.

Section 11- Toxicological Information							
_							
	Acute						STOST
Acute toxicity(oral	toxicity(derm.				Reproduct.		Repeated
LD50) rat	LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Toxicity	STOST -single Exposure	exposure
200 //	4250		Mark Parad	Nie te Ce	N - 1 - C -	No. 1 of c	NI - 1 - C-

ingredient LD50) rat LD50) rabbit Skin and Eye Carcinogen Mutagen Toxicity STOST -single Exposure exposure

Sodium Hydroxide 200mg/kg 1350mg/kg corrosive Not listed No info N

Other:

Section 12 - Ecological Information

Section 13 - Disposal Considerations

No information available.

Products covered by this SDS, in their original form, are considered corrosive hazardous waste(waste code D002) according to RCRA(40 CFR 261). Dispose of in accordance with applicable Federal, State and Local regulations.

Section 14 - Transport Information

UN number	Basic Description(DOT)	Class	Packing Group	LTD QTY
UN1719	Caustic Alkali Liquids, n.o.s(Contains sodium hydroxide)	8	II	< 1Liter

Section 15 - Regulatory Information

SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986.

CERCLA: Sodium Hydroxide. For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68

Section 16 - Other Information

WHMIS: E

Date Prepared: 18-Nov-2019

HMIS: Health - 3 Flam. - 0 R - 0 PPE- C

Prepared by: Environmental, Health and Safety Administrator.

The information provided in this Safety Data Sheet is correct to the best of our knowledge and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.

Legend for Abbreviations: NA - not applicable NE - Not Established